


MEDICASURE PHARMA™
Surety of Life



MEDICAGEN

— DIVISION —



*Always
Happy
Family*



In Management of GERD With Nausea And Vomiting

EZACLYD - DSR

Esomeprazole 40mg+Domperidon 30MG (SR) CAPSULES

ESOMEPRAZOLE

- More effectively inhibits gastric acid production than omeprazole.
- Higher rates of sustained resolution of heartburn than lansoprazole & pantoprazole.

DOMPERIDONE

- Peripheral prokinetic properties; maintains antiemetic effect by acting at CTZ level.
- Manages upper GI motility disorder when patients fail to tolerate metoclopramide.

GERD II DYSPEPSIA II CHRONIC GASTRITIS II

POST-OPERATIVE NAUSEA & VOMITING II

NAUSEA ASSOCIATED WITH ACID PEPTIC DISORDERS



In Management of GERD With Nausea And Vomiting


EZACLYD - DSR

Esomeprazole 40mg+Domperidon 30MG (SR) CAPSULES

Best in Class PPI with *Prokineti Edge*

Esomerprazole - 40mg Gastro-resistant pellets
Facilitates rapid drug dissolution absorption
and onset of action

Domperidone - 30mg Sustained release pellets
Maximizes absorption and reduces inter
and intra-patient variability



3. tirpude R.n Et.al Journal Of Advanced Pharmaceutial & Research 2011:2 (3:184-1991)

4. Gampa Vijaya Kumar Et. Al J Global Trend Sci, 2017:8 (3) : 4148-4159

In Management of Dyspepsia & APD

EZACLYD - 40

Esomeprazole 40mg


TABLET

- Enteric coated prevents destruction by acidic pH of stomach
- Helps the healing process happen faster
- Better acid-control than other PPIs
- More effective than omeprazole in healing and symptom resolution in GERD patients with reflux oesophagitis

Indication

EROSIVE ESOPHAGITIS
NSAID-INDUCED GASTRIC ULCER
ACUTE BLEEDING GASTRIC OR DUODENAL ULCERS





In Management of Dyspepsia & Gastroparesis

EZACLYD - **L**

Esomeprazole (40mg) + Levosulpiride SR (75mg)

CAPSULES

ESOMEPRAZOLE

Esomeprazole is a Proton Pump Inhibitor (PPI) That Reduces Stomach Acid Production. It Is The S-Isomer of Omeprazole, Specifically Designed To Provide More Effective And Longer-lasting Acid Suppression. Esomeprazole Is Commonly Used To Treat Conditions Like Gastroesophageal Reflux Disease (GERD) And Stomach Ulcers.

LEVOSULPIRIDE

The New Prokinetic Agent, Demonstrates Greater Central Anti-dopaminergic Activity, Antisemitic And Antidyspeptic Effects. Provides Better Relief From Overall Symptoms Thus Ensures Better Quality of Life To Patients.

Indication In

Reflux Esophagitis

Helicobacter Pylori Infection

Heartburn

Duodenal Ulcer

As an adjuvant in **Diabetes, Neuropathy, CVD, Fatigue & Weakness**

METHYLONEX - D3

Methylcobalamin 1500mcg + Alpha Lipoic Acid 100mg + Folic Acid 1.5mg + **TABLETS**
Pyridoxine HCl 3mg + Vitamin D3 1000 I.U.

INTRODUCTION

METHYLCOBALAMIN : Supports the regeneration of nerves after an injury¹

ALPHA-LIPOIC ACID : Improves the glycemic control²

FOLIC ACID : Improves the repair of peripheral nerve injury³

VITAMIN D3 : Attenuates the development of neuropathic pain⁴

Indication In

HIGH OXIDATIVE STRESS

CHRONIC FATIGUE

LOW IMMUNITY

DIABETES/OBESITY

HYPERCHOLESTEROLEMIA/CVD

1. CNS Neurosci Ther. 2020 Jan, 26(1):5-13 2. Biomolecules. 2019 Aug 960: 356
3. Neural Regen Res. 2019 Jan 14(1): 132-139 4. Front Immunol. 2020, 11:820



A Strict Restriction For Any Infection

RIBOCEF - 200

Cefpodoxime Proxetil 200mg.

TABLETS

EFFECTIVE IN INFECTIONS

- ◆ Clinical cure rate: 90.3% in Pharyngotonsillitis
- ◆ Drug of choice in treatment of most URTIs
- ◆ Ideal switch over therapy from intravenous Ceftriaxone in serious RTIs
- ◆ Proven efficacy in acute Otitis Media, Tonsillitis and Pharyngitis

Indication In

PHARYNGITIS/TONSILLITIS

URINARY TRACT INFECTIONS

SKIN & SOFT TISSUE INFECTIONS

COMMUNITY ACQUIRED PNEUMONIA

CHRONIC BRONCHITIS



For Spasm, Pain & Inflammation. the triple actions therapy

DICLOPED -P

Diclofenac Potassium 50mg + Paracetamol 325mg

TABLETS

DICLOFENAC

Selectively Inhibits prostaglandin synthesis that causes inflammations & pain in the body.

Best dose related effectiveness for the Pain management.
No sodium hence safe for cardiac and diabetic patients.

PARACETAMOL

Time tested & trusted analgesia.
Safe and effective antipyretic and analgesic in all types of pain related conditions.

Indication In

- TRAUMA SPORTS INJURY
- FRACTURE & DISLOCATIONS
- POST SURGICAL INFLAMMATIONS
- TOOTH EXTRACTION



To Prevent And Treat **Nutritional Deficiencies**

VAULTI-SURE

Multi-vitamin + Multi-mineral + Anti-oxidant **SYRUP**

MULTIVITAMIN + MULTIMINERAL

- Effective & safe in vitamin/mineral deficient treatment
- Decreases risk of age-related cataract

ANTI-OXIDANTS

- Provides free radical protection
- Provides immune support

Indication In

- DIABETES AND CARDIOVASCULAR
- HIGH METABOLIC STRESS
- COMPLICATIONS
- COMPROMISED IMMUNITY



Complete Nutrition. Proven Protection.

In The Management Of BONE HEALTH

AULIC-SURE

Calcium Citrate-1000mg, Magnesium-100mg, Zink-4mg, Vitamin-D3 200iu **TABLET**

CALCIUM CITRATE

- Offers Maximum Elemental Calcium for Absorption

MAGNESIUM

- Magnesium Plays Vital Role in Calcium & Bone Metabolism

ZINC SULPHATE


- Zinc is essential for osteoblast activity, helping in proper bone growth and repair.

VITAMIN D3

- Ensures Absorption Ability & Storage of Iron in Bone Marrow

Indication In

OSTEOPOROSIS | OSTEOMALACIA | HYPOCALCAEMIA
BONE LOSS & FRACTURES | FOR ALL-ROUND BONE CARE SUPPORT



For the Management of **Serious Bacterial Infections**

OXONITES

Ceftriaxone 1 gm.

INJECTION

Broad-Spectrum Coverage You Can Trust

RELIABLY EFFECTIVE, REASSURINGLY WELL TOLERATED

- Antibiotic for first choice in serious bacterial infections and high risk surgery.
- The drug of choice to treat life threatening infections
- Long half life thereby convenience of once daily dosage

Indication In

NOSOCOMIAL INFECTIONS

SURGICAL PROPHYLAXIS

MENINGITIS

SKIN & SOFT TISSUE

OTITIS MEDIA

CHOLECYSTITIS

SEXUALLY TRANSMITTED

URINARY TRACT INFECTIONS



For the Management of **Acute Pain & Inflammation**

DICLOPED

Diclofenac sodium 75mg/ml

INJECTION

Moderate to Severe Pain & Inflammation

- Provides fast relief from acute moderate to severe pain.
- Effectively reduces inflammation, swelling, and redness.
- Ideal for emergency, post-operative, and acute pain conditions.
- Helps restore movement in musculoskeletal and joint disorders.
- Effective in trauma, renal colic, and post-surgical pain.
- Well-established cyclo-oxygenase (COX) inhibitor.
- Ensures faster and predictable therapeutic action compared to oral forms.

Indication In

ACUTE MUSCULOSKELETAL PAIN

POST-OPERATIVE PAIN

TRAUMA & INJURY

RENAL AND BILIARY COLIC

ACUTE INFLAMMATORY CONDITIONS



For the Management of **IRON DEFICIENCY**

FAZUROZ

Iron Sucrose Injection 100 mg **INJECTION**

Power Up Your Iron, Power Up Your Life.

- One of the most widely recommended iron supplement.
- Ascorbate part ensures maximum absorption from the intestine.
- Maximum absorption from intestine ensures low GI Toxicity.
- Suitable for CKD, pregnancy, postpartum, and chronic blood loss.
- Convenient dose for incremental correction of iron deficit.
- Provides fast rise in the hemoglobin level.

Indication In

IRON DEFICIENCY

MENORRHAGIA

ANAEMIA

PREGNANCY

ELEVATES HAEM CONTENT IN BLOOD



*CKD :- Chronic kidney disease


For the Management of **LIVER HEALTH & SUPPORT**

LIVROTH

SYRUP

COMPLETE LIVER WELLNESS

- Liver Detoxification: Helps eliminate toxins and supports liver cleansing through herbs like Kalmegh and Bhumi Amla.
- Improved Digestion: Ingredients like Saunf, Sonth, and Pudina aid in digestion and relieve bloating.
- Enhanced Metabolism: Boosts metabolic activity, which can help with energy levels and nutrient absorption.
- Hepatoprotective Action: Protects liver cells from damage caused by alcohol, medications, or infections.



Indication In

FATTY LIVER | EARLY-STAGE LIVER DYSFUNCTION
JAUNDICE RECOVERY SUPPORT | LOSS OF APPETITE AND INDIGESTION
LIVER INFLAMMATION DUE TO ALCOHOL OR MEDICATION
GENERAL LIVER WELLNESS FOR PEOPLE EXPOSED TO TOXINS OR STRESS

For The Treatment of **BACTERIAL INFECTION**

AMOXYLIV - CV

Amoxicillin 500 mg + Clavulanic Acid 125 mg.

TABLETS

Your Trusted Partner Against Infections

AMOXYCILLIN


- Offers wide coverage against both gram + ve & gram-ve pathogens
- Archives peak serum levels (Between 1 to 2 Hrs.)
- Better absorption as compared to other penicillin Antibiotics

CLAVULANIC ACID

- Inactivates & irreversibly Inhibits variety of Beta-Lactamases
- Extends the Antibacterial action of Amoxicillin
- Protects Amoxicillin from hydrolysis

Indication In

Ent Infections | Respiratory Tract Infections
Genito-urinary Tract Infections | Dental Infections
Bone And Joint Infections | Skin And Soft Tissue Infections



For The Treatment Of **COUGH AND THROAT IRRITATION**

METHORINE

COUGH SYRUP

Dextromethorphan 10mg, Phenylephrine 5 mg, Chlorpheniramine Maleate 2 mg

PHENYLEPHRINE

- An alpha-1 adrenergic agonist; used as nasal decongestant

DEXTROMETHORPHAN

- Highly effective and widely used non-opioid anti-tussive drug¹

CPM

- Relieves cough caused by throat and bronchial irritation

Indication In

**DRY COUGH | ALLERGIC COUGH
POST-OPERATIVE COUGH | SMOKERS COUGH
NIGHT-TIME COUGH**



For Fast Relief From **PAIN, SPRAIN & STRAIN**

DICLOPED

Diclofenac 1.16% w/w + Methyl Salicylate 10%w/w
Linseed Oil 3%w/w+ Menthol 5%w/w

-GEL
OINTEMENT

FEATURE

- Synergistic and anti-inflammatory action
- Effective pain relief and functional improvement of osteoarthritis
- Persist for over 11 hours in the synovial fluids
- Possesses anti-inflammatory properties through inhibition the production pro-inflammatory cytokines, NO and ROS
- Blocks the Na(+) channel and shows efficacy as topical analgesic compound

Indication In

SPRAINS & STRAINS | MUSCLE STIFFNESS

JOINT PAIN | BACKACHE

IN NECK PAIN | SHOULDER PAIN

SCIATICA | TENDINITIS | LUMBAGO





MEDICASURE PHARMA

S urrety of L ife

*Thank You
Doctor!*



Medicasure Pharma

B-181, Shalimar Garden, Extention-2, Shahibabad, Gzb. 201005
info@medicasurepharma.com | www.medicasurepharma.com